


SUNGROW

Clean power for all

Mở Port MAINTENACE REMOTE

trên Laptop



PV-Plant Value

0.0 kWh Daily Yield	0.000 kW Real-time Active Power
0.0 kWh Total Yield	0.0 kW Up Limit for Adjustable Active Power

Inverter Realtime Values (Off-grid 1, On-grid 0)

Device Name	Device Model	Status	Daily Yield(kWh)
SG20KTL-M(COM1-001)	SG20KTL-M	Offline	--

Windows Network settings panel showing available Wi-Fi networks:

- SG-B1908140294 No Internet, open
- MTV Secured
- Mai Secured
- Bao an Secured
- Binh an Secured
- HOA HUONG

Buttons: Properties, Disconnect

1. Kết nối với wifi Logger
2. Vào trình duyệt Web gõ địa chỉ 11.11.11.1

0 0 Help English Login

PV-Plant Value

0.0 kWh Daily Yield
0.0 kWh Total Yield

0.000 kW Real-time Active Power

2 Piece Offline Device
0 Piece Online Device

Inverter Realtime Values (off-

Device Name	Dev	Daily Yield(kWh)	Active Power(kW)	Reactive Power(kvar)
SG20KTL-M(COM1-001)	SG2	--	--	--

Login

Password

pw1111

Login

Forgot Password

2. Pass: pw1111

Logger1000

- Power Control
- History Data
- System** 1
- Run Information
- System Maintenance
- Remote Maintenance
- Message Export
- System Time
- Transfer Configuration** 2
- Port Parameter
- About

Help English O&M user

iSolarCloud IEC104 MODBUS Third-party Portal

Server Domain
api.isolarcloud.com.hk

Advanced Settings

Domain
api.isolarcloud.com.hk

Chinese Server

International Server

European Server

4. Chọn International Server

Enable Night Silence

Start Time
22

End Time
5

5. Save

3

Logger1000

- Power Control
- History Data
- System** 1
- Run Information
- System Maintenance
- Remote Maintenance** 2
- Message Export
- System Time
- Transfer Configuration
- Port Parameter
- About

0 0 Help English O&M user

Remote Maintenance 3
Enable

Remote Service Address 4
International Server

Save 5

Remote Service Has Been Connected
B1908140294.connect.isolarcloud.com.hk


Coppy link gửi Service SUNGROW




SUNGROW

Clean power for all

Mở Port MAINTENACE REMOTE

trên Smartphone





1. Kết nối với wifi Logger
2. Vào trình duyệt Web gõ địa chỉ 11.11.11.1
3. Login với pass: pw1111

